

2026 Asotin County Noxious Weed List

Class A: Control Required - Non-native species whose distribution in Washington is still limited.

Common Name	Scientific Name	Asotin County Classification
common crupina	<i>Crupina vulgaris</i>	A
cordgrass, common	<i>Spartina anglica</i>	A
cordgrass, dense-flowered	<i>Spartina densiflora</i>	A
cordgrass, smooth	<i>Spartina alterniflora</i>	A
cordgrass, saltmeadow	<i>Spartina patens</i>	A
delta arrowhead	<i>Sagittaria platyphylla</i>	A
dyer's woad	<i>Isatis tinctoria</i>	A
eggleaf spurge	<i>Euphorbia oblongata</i>	A
false brome	<i>Brachypodium sylvaticum</i>	A
floating primrose-willow	<i>Ludwigia peploides</i>	A
flowering rush	<i>Butomus umbellatus</i>	A
French broom	<i>Genista monspessulana</i>	A
garlic mustard	<i>Alliaria petiolata</i>	A
giant hogweed	<i>Heracleum mantegazzianum</i>	A
goatsrue	<i>Galega officinalis</i>	A
hydrilla	<i>Hydrilla verticillate</i>	A
Johnsongrass	<i>Sorghum halepense</i>	A
knapweed, bighead	<i>Centaurea macrocephala</i>	A
knapweed, Vochin	<i>Centaurea nigrescens</i>	A
kudzu	<i>Pueraria montana var. lobata</i>	A
marsh thistle	<i>Cirsium palustre</i>	A
meadow clary	<i>Salvia pratensis</i>	A
oriental clematis	<i>Clematis orientalis</i>	A
palmer amaranth	<i>Amaranthus palmeri</i>	A
purple starthistle	<i>Centaurea calcitrapa</i>	A
reed sweetgrass	<i>Glyceria maxima</i>	A
ricefield bulrush	<i>Schoenoplectus mucronatus</i>	A
round leaf bittersweet	<i>Celastrus orbiculatus</i>	A
sage, clary	<i>Salvia sclarea</i>	A
sage, Mediterranean	<i>Salvia aethiopis</i>	A
silverleaf nightshade	<i>Solanum elaeagnifolium</i>	A
small-flowered jewelweed	<i>Impatiens parviflora</i>	A
South American spongeplant	<i>Limnobium laevigatum</i>	A
Spanish broom	<i>Spartium junceum</i>	A
Sunflower Broomrape	<i>Orobanche cumana</i>	A
Syrian beancaper	<i>Zygophyllum fabago</i>	A
Texas blueweed	<i>Helianthus ciliaris</i>	A
thistle, Italian	<i>Carduus pycnocephalus</i>	A
thistle, milk	<i>Silybum marianum</i>	A

thistle, slenderflower	<i>Carduus tenuiflorus</i>	A
thistle, Turkish	<i>Carduus cinereus</i>	A
variable-leaf milfoil	<i>Myriophyllum heterophyllum</i>	A
waterhemp	<i>Amaranthus tuberculatus</i>	A
wild four o'clock	<i>Mirabilis nyctagine</i>	A

Class B: Non-native species that are limited to portions of the state. Species are designated for control in regions where they are not widespread. Class B Designates: Asotin County - Region 6

Common Name	Scientific Name	Asotin County Classification
blueweed	<i>Echium vulgare</i>	B designate
Brazilian elodea	<i>Egeria densa</i>	B designate
bugloss, annual	<i>Lycopsis arvensis</i>	B designate
bugloss, common	<i>Anchusa officinalis</i>	B designate
camelthorn	<i>Alhagi maurorum</i>	B designate
common fennel (except bulbing fennel)	<i>Foeniculum vulgare</i> except <i>F. vulgare</i> var. <i>azoricum</i>)	B designate
common reed (nonnative genotypes only)	<i>Phragmites australis</i>	B designate
Eurasian watermilfoil	<i>Myriophyllum spicatum</i>	B designate
European coltsfoot	<i>Tussilago farfara</i>	B designate
fanwort	<i>Cabomba caroliniana</i>	B designate
gorse	<i>Ulex europaeus</i>	B designate
grass-leaved arrowhead	<i>Sagittaria graminea</i>	B designate
hairy willowherb	<i>Epilobium hirsutum</i>	B designate
hanging sedge	<i>Carex pendula</i> subsp. <i>pendula</i> and <i>Carex pendula</i> subsp. <i>Agastachys</i>	B designate
hawkweed oxtongue	<i>Picris hieracioides</i>	B designate
hawkweed, orange	<i>Hieracium aurantiacum</i>	B designate
hawkweeds: All nonnative species and hybrids of the meadow subgenus	<i>Hieracium</i> , subgenus <i>Pilosella</i>	B designate
hawkweeds: All nonnative species and hybrids of the wall subgenus	subgenus <i>Hieracium</i>	B designate
herb-Robert	<i>Geranium robertianum</i>	B designate
hoary alyssum	<i>Berteroa incana</i>	B designate
knapweed, black	<i>Centaurea nigra</i>	B designate
knapweed, brown	<i>Centaurea jacea</i>	B designate
knapweed, meadow	<i>Centaurea x gerstlaueri</i>	B designate
knapweed, Russian	<i>Rhaponticum repens</i>	B designate
knapweed, spotted	<i>Centaurea stoebe</i>	B designate
knotweed, Bohemian	<i>Fallopia x bohemica</i>	B designate
knotweed, giant	<i>Fallopia sachalinensis</i>	B designate

knotweed, Himalayan	<i>Persicaria wallichii</i>	B designate
knotweed, Japanese	<i>Fallopia japonica</i>	B designate
lesser celandine	<i>Ficaria verna</i>	B designate
loosestrife, garden	<i>Lysimachia vulgaris</i>	B designate
parrotfeather	<i>Myriophyllum aquaticum</i>	B designate
policeman's helmet	<i>Impatiens glandulifera</i>	B designate
Ravenna grass	<i>Triplidium ravennae</i>	B designate
rouch cervil	<i>Chaerophyllum temulum</i>	B designate
rush skeletonweed	<i>Chondrilla juncea</i>	B designate
saltcedar	<i>Tamarix ramosissima</i>	B designate
scotch broom	<i>Cytisus scoparius</i>	B designate
shiny geranium	<i>Geranium lucidum</i>	B designate
spurge, flax	<i>Thymelaea passerine</i>	B designate
spurge, laurel	<i>Daphne laureola</i>	B designate
spurge, leafy	<i>Euphorbia virgata</i>	B designate
spurge, myrtle	<i>Euphorbia myrsinites</i>	B designate
tansy ragwort	<i>Jacobaea vulgaris</i>	B designate
thistle, musk	<i>Carduus nutans</i>	B designate
thistle, plumeless	<i>Carduus acanthoides</i>	B designate
velvetleaf	<i>Abutilon theophrasti</i>	B designate
water primrose	<i>Ludwigia hexapetala</i>	B designate
wild basil	<i>Clinopodium vulgare</i>	B designate
wild chervil	<i>Anthriscus sylvestris</i>	B designate
yellow archangel	<i>Lamiastrum galeobdolon</i>	B designate
yellow floatingheart	<i>Nymphoides peltate</i>	B designate
yellow nutsedge	<i>Cyperus esculentus</i>	B designate
butterfly bush	<i>Buddleja davidii</i>	B
common tansy	<i>Tanacetum vulgare</i>	B
dalmatian toadflax	<i>Linaria dalmatica ssp. dalmatica</i>	B
houndstongue	<i>Cynoglossum officinale</i>	B
indigobush	<i>Amorpha fruticosa</i>	B
knapweed, diffuse	<i>Centaurea jacea</i>	B
kochia	<i>Bassia scoparia</i>	B
loosestrife, purple	<i>Lythrum salicaria</i>	B
loosestrife, wand	<i>Lythrum virgatum</i>	B
malta starthistle	<i>Centaurea melitensis</i>	B
perennial pepperweed	<i>Lepidium latifolium</i>	B
Poison hemlock	<i>Conium maculatum</i>	B
puncturevine	<i>Tribulus terrestris</i>	B
scotch thistle	<i>Onopordum acanthium</i>	B
sulfur cinquefoil	<i>Potentilla recta</i>	B
tansy, common	<i>Tanacetum vulgare</i>	B
yellow starthistle	<i>Centaurea solstitialis</i>	B

Class C: Control Recommended - Noxious weeds which are already widespread in Washington State or are of special interest to the state's agricultural industry.

Common Name	Scientific Name	Asotin County Classification
hairy Whitetop	<i>Lepidium appelianum</i>	C select
absinth wormwood	<i>Artemisia absinthium</i>	C
Austrian fieldcress	<i>Rorippa austriaca</i>	C
babysbreath	<i>Gypsophila paniculate</i>	C
barberry, common	<i>Berberis vulgaris</i>	C
blackgrass	<i>Alopecurus myosuroides</i>	C
black henbane	<i>Hyoscyamus niger</i>	C
black locust	<i>Robinia pseudoacacia</i>	C
buffalobur	<i>Solanum rostratum</i>	C
catsear, common	<i>common Hypochaeris radicata</i>	C
cereal Rye	<i>Secale cereale</i>	C
curlyleaf pondweed	<i>Potamogeton crispus</i>	C
English Hawthorn	<i>Crataegus monogyna</i>	C
English Ivy- Four Cultivars only	<i>Hedera helix</i> 'Baltica', 'Pittsburgh', and 'Star', and <i>H. hibernica</i> 'Hibernica'	C
Eurasian watermilfoil hybrid	<i>Myriophyllum spicatum</i> x <i>Myriophyllum sibiricum</i>	C
evergreen blackberry	<i>Rubus laciniatus</i>	C
field bindweed	<i>Convolvulus arvensis</i>	C
fragrant waterlily	<i>Nymphaea odorata</i>	C
green alkanet	<i>Pentaglottis sempervirens</i>	C
groundsel, common	<i>Senecio vulgaris</i>	C
Himalayan blackberry	<i>Rubus bifrons</i> (<i>Rubus armeniacus</i>)	C
hoary cress, <i>Lepidium draba</i>	<i>Lepidium draba</i>	C
holly, common	<i>Ilex aquifolium</i>	C
Italian arum, <i>Arum italicum</i>	<i>Arum italicum</i>	C
Japanese eelgrass,	<i>Nanozostera japonica</i>	C
Jubata grass	<i>Cortaderia jubata</i>	C
lawnweed	<i>Soliva sessilis</i>	C
longspine sandbur	<i>Cenchrus longispinus</i>	C
medusahead	<i>Taeniatherum caput-medusae</i>	C
nonnative cattail species and hybrids (does not include the native common cattail, <i>Typha latifolia</i>)	<i>Typha</i> species	C
Norway Maple	<i>Acer platanoides</i>	C
old man's beard	<i>Clematis vitalba</i>	C

oxeye daisy	<i>Leucanthemum vulgare</i>	C
pampus Grass	<i>Cortaderia selloana</i>	C
perennial sowthistle	<i>Sonchus arvensis</i>	C
reed canarygrass	<i>Phalaris arundinacea</i>	C
Russian olive	<i>Elaeagnus angustifolia</i>	C
scentless mayweed	<i>Tripleurospermum inodorum</i>	C
smoothseed alfalfa dodder	<i>Cuscuta approximate</i>	C
spiney cocklebur	<i>Xanthium spinosum</i>	C
spotted jewelweed	<i>Impatiens capensis</i>	C
St. Johnswort, common	<i>Hypericum perforatum</i>	C
swainsonpea	<i>Sphaerophysa salsula</i>	C
teasel, common	<i>Dipsacus fullonum</i>	C
thistle, bull	<i>Cirsium vulgare</i>	C
thistle, Canada	<i>Cirsium arvense</i>	C
tree-of-Heaven	<i>Ailanthus altissima</i>	C
ventenata	<i>Ventenata dubia</i>	C
white cockle	<i>Silene latifolia</i>	C
wild carrot (except where commercially grown)	<i>Daucus carota</i>	C
yellow flag iris	<i>Iris pseudacorus</i>	C
yellow toadflax	<i>Linaria vulgaris</i>	C